

P-220 IP

Premium Business IP Phone



P-220IP

Premium Business IP Phone



"P-220IP" is an Enterprise Class New Generation Premium Business SIP Phone. It caters to the new-age demands of today, matching their ever-evolving communication needs. It comes with an attractive colour display and with its extensive feature set, it assures a delightful user experience.

"P-220IP" is designed with an open application platform. It is equipped with personalization options that make this phone, the best choice for the Executive Class.

Key Features

- SIP Phone (Supports SIP V2.0, RFC 3261, 3262, 3263, 3264)
- 2.4" Color LCD Screen
- 3 Lines support
- 10/100 Mbps connectivity
- In-built 2 port mini-switch (One Wire to Desk)
- Supports RJ9 headset port
- 13 function keys
- 4 soft keys
- 5 key navigation
- Full-duplex speakerphone
- Supports IEEE 802.3af PoE and external power adaptor
- Supports centralized management
- Supports web management

- Voice Activity Detection
- Comfort Noise Generation
- Echo Cancellation
- Adaptive Jitter Buffer
- HD Voice
- Supported codecs - G.711, G.729, G.723, iLBC, G.722 (HD)
- Call logs - 60 entries for Missed, Received and Dialed numbers
- Phone book - 500 entries supported
- Customized ringtone
- Volume adjustment: Handset, Speaker and Ring

Call Features

- DTMF Mode: In-band, RFC 2833 and SIP info
- Caller ID Display or Block
- Call Waiting, Call Waiting Caller ID supported
- Call Hold
- Call Transfer (supervised/blind)
- Call Forwarding
- Music on Hold
- MWI with Visual Indicator
- 3-Way Conference
- Auto Answer
- Call Pickup
- Dial Rule
- Hotline
- Redial
- Mute



Technical Specifications

Display	2.4" LCD Colour screen
Network Interface	10/100 mbps connectivity, 2* RJ45 Ports
Feature Keys	• 3 Line keys • 4 Soft keys (Menu specific) • 13 Function keys • 5-key Navigation
Headset Port	1* RJ9
HD Audio	Supported
Audio Features	G.711 (A/u), G.722 (HD), G.723, G.726, G.729 AB, iLBC, Voice Activity Detection, Comfort Noise Generation, Echo Cancellation, Adaptive Jitter Buffer
Protocols	• SIP V2(RFC 3261) • RTP/RTCP(RFC 1889/RFC 1890) • NAPTR for SIP URI Lookup (RFC 2915) • STUN (RFC 3489) • SDP (RFC 2327) • ARP/RARP(RFC 826/903) • SNTP(RFC 2030) • NS/DNS SRV (RFC 1706 and RFC 2782) • IEEE802.1QVLAN/802.1p/DSCP • TR069 (TR104/TR106) • SNMPv2 • Support IPv4/IPv6, Dual stack IPv4/IPv6 • Sip registered Authentication supports md5
Management	• TFTP/HTTP/HTTPS for Auto Provisioning • Web Management • Password Management • Local and Remote Syslog (RFC 3164) • Auto Provision • SNTP Time Synchronization • Support Cloud/ Centralized Management
Power	DC adaptor - 5V, 1A, PoE support
Environmental	Operation Temperature: 0~50 Degree C Storage Temperature: -25~ 85 Degree C Relative Humidity: 10%~90% No Condensing
Size	8.9 cm (L) x 18.5 cm (W) x 3.4 cm (H)
Weight	0.655 Kg

Sales Offices:

Ahmedabad

409, Pinnacle Business Park,
Corporate Road,
Prahadnagar,
Ahmedabad - 380015
Tel.: +91-79-4040 7500

Bengaluru

No. 92-93, 1st Floor,
Garden Citi Plaza, Domlur,
Koramangala Intermediate
Ring Road, Amar Jyothi Layout,
Bengaluru - 560071
Tel.: +91-80-4361 8000

Bhopal

2nd Floor, Gomti-Villa,
273, Zone-II, M. P. Nagar,
Bhopal - 462011
Tel.: +91-75-5400 4676

Bhubaneswar

Plot No.382, 2nd Floor
Bhoi Nagar, Behind Sahid
Nagar Police Station,
Bhubaneswar - 751022
Mob.: +91-94370 04318

Chandigarh

C/o Regus Business Centre,
SCO 54-56, 3rd Floor,
Sector 17A,
Chandigarh 160017, India
Mob.: +91-99888 99421

Chennai

Unit No.2, West wing,
4th Floor, Maalavika Centre,
No.144-145 Kodambakkam
High Road, Nungambakkam,
Chennai - 600 034
Tel.: +91-44-2833 4190

Cochin

KG Oxford Business Centre,
No 39/4609, 4th Floor C,
Sree Kandath Road,
Ravipuram, Cochin - 682016
Tel.: +91-484-404 4260

Delhi

A-25, Mohan Co-operative
Industrial Estate, Mathura
Road, New Delhi - 110044
Tel.: +91-11-4288 5508

Gurgaon

4th floor B-Block, Times Square
Building, Sushant Lok Phase 1,
Gurgaon – 122001, Haryana
Tel.: +91-11-4288 5508

Hyderabad

H. No. 1-65/2/40 & 41 (P)
Plot No: 68, 1st Floor, A1 Towers,
Sri Rama Colony, Kavuri Hills
Phase 1, Madhapur,
Hyderabad – 500 033
Tel.: +91-40-4448 2500

Jaipur

605, 6th Floor, Green House,
Ashok Marg, C-Scheme,
Jaipur - 302001
Mob.: +91-96549 10792
Mob.: +91-96729 91967

Jammu

Lane No-1, R K Vihar Behind,
Rama Krishn Ashram,
Udhewalla, Bohri,
Jammu-180002
Mob.: +91-99888 99421

Kolkata

12th Floor, Unit No.3, PS Srijan
Corporate Park Tower-1,
Plot No. G-2, Block EP & GP,
Sector-V, Bidhannagar,
Salt Lake Electronics Complex,
Kolkata – 700091
Tel.: +91-33-4016 5100

Lucknow

C/O. Regus Infinity Business
Hubs, 4th Floor, Halwasiya
Court, Hazratganj,
Lucknow - 226001, U.P.
Mob.: +91-77048 09251

Mumbai

Unit No. 901, 9th Floor,
Lodha Supremus, Wing - E,
I Think Techno Campus,
Kanjurmarg (East),
Mumbai - 400 042
Tel.: +91-22-4154 7000

Mahape

EL - 19, MIDC, TTC Industrial
Area, Mahape, Near Nelco,
Navi Mumbai - 400710

Pune

Office No. 2, 2nd Floor,
Patil & ABK House, Pakharbaug
Society, Ram Nagar, Bavdhan,
Pune, Maharashtra - 411021
Tel.: +91-20-2291 6060

Vadodara

A/413, Atlantis, B/s. Central
Square, At Sarabhai Campus,
Nr. Genda Circle,
Vadodara - 390023
Tel.: +91-265-232 3155

Visakhapatnam

Visakha Business Centre, Cabin
S-9, 46-19-5, Manda Vari Street,
Behind Big Bazar, Dondaparthi,
Visakhapatnam - 530016
Mob.: +91-99493 53919

Nagpur

1st Floor, 6-A, Matruchaya,
Modern Society, Chhatrapati
Square, Wardha Road,
Nagpur - 440015
Tel.: +91-712-3580 369

Aurangabad

Mob.: +91-77200 25100

Coimbatore

Mob.: +91-95142 01091

Dehradun

Mob.: +91-95680 10446

Goa

Mob.: +91-77559 23035

Guwahati

Mob.: +91-98640 16888

Kota

Mob.: +91-96549 10792

Madurai

Mob.: +91-95142 01091

Patna

Mob.: +91-76541 90694

Raipur

Mob.: +91-98260 10263

Ranchi

Mob.: +91-76541 90694

Vijayawada

Tel.: +91-40-4448 2500

Trichy

Mob.: +91-95142 01091

Contact us: 011-4288 5508

www.progilitytech.com

Corporate Head Office: Unit No. 1001, 10th Floor, Lodha Supremus, Wing - E, I Think Techno Campus, Kanjurmarg (East),
Mumbai - 400 042, Maharashtra, India. Tel.: +91-22-4154 7000, Fax: +91-22-4154 7222 Email us - india@progilitytech.com

